



NON-SLIP FILMS

Tapes, treads, custom parts



Jessup Manufacturing Company

2815 West Route 120
McHenry, Illinois 60051
Jessupmfg.com






LEADER IN NON-SLIP TECHNOLOGY

Jessup Manufacturing is a leader in non-slip technology offering a full line of tapes, treads, mats, and bulk materials for industrial, commercial, and institutional use.

All of Jessup's best-selling Safety Track® and Flex Track® tapes come in many sizes and can be custom-sized and die-cut to meet your specific requirements. Our engineers can recommend the right product to work for your specific environment and usage. Custom die-cutting to fit walkways, production areas, stairs, ramps, marine decks, and designated safety areas can further reduce injuries and provide visual cues for a safer workplace.

Jessup makes three main types of non-slip material: grit, resilient, and vinyl.



GRIT, RESILIENT, VINYL

Jessup non-slip materials are preferred by safety engineers and maintenance professionals for quality, availability and customization. Jessup non-slip products have been made in Illinois for more than 60 years. Safety Track® and Flex Track® brands are available to businesses and consumers through maintenance, repair, and operations (MRO) distributors and major retailers.

Series	Type	Grade
3100	Grit	Commercial
3200	Grit	Heavy Duty
3300	Grit	Commercial
3400	Grit	Photoluminescent
3500	Resilient	Medium Resilient
3600	Resilient	Heavy Duty
3700	Grit	Conformable
3800	Grit	Military
4100	Vinyl	Fine
4200	Vinyl	Coarse
4215	Vinyl	Coarse

Materials are available to businesses and consumers through MRO distributors and major retailers.



ADHESIVE SCIENCE

Name the performance attribute you need and Jessup can match it to the right adhesive. Frequent requests include:

- High tack
- Removable
- Low surface energy
- High shear
- High temperature
- Low temperature
- Chemical resistant
- Corrosion resistant
- High coat weight


TESTING AND CERTIFICATION

Jessup Safety Track® and Flex Track® brands exceed Occupational Safety and Health Administration (OSHA) and Americans with Disabilities Act (ADA) standards for non-slip protection on hazardous surfaces. Jessup products are also certified “High Traction” by the National Floor Safety Institute (NFSI).

Tests include peel adhesion, shear adhesion, tack, thickness, and UV stability.

Photoluminescent non-slip tapes and treads are certified to the American Society for Testing and Materials (ASTM) and New York City (MEA #235-05-M) standards.

Safety Track® Military Grade exceeds MIL-PRF-24667C Type XI.




PRIVATE LABEL, CUSTOM, CONVERTING

Jessup specializes in adhesive coated non-slip films and supplies parts for all kinds of manufactured goods—from consumer products to the decks of warships. Our custom coating and complete converting capabilities enable us to create the material type, performance, and shape for any application.

Jessup can convert materials in many ways, including slitting, sheeting, laser cut, kiss cut, back-slit, score, perforate, print, and more.

Jessup non-slip tapes go into many industries, including industrial safety, transportation, defense, hospitality, graphics, commercial construction and consumer goods.



SOLVE + MAKE™




If Jessup's best selling Safety Track® and Flex Track® non-slip tapes and treads are not perfect for your application, please contact us to develop your specific material or part. With Jessup's Solve + Make™ service, we can combine grit, resilient, textured vinyl, or your own specified material with the adhesive, liner, and converting that you require. Our engineers will help you develop the product, test it, certify as required, and manage your supply chain needs.

SAFETY TRACK® COMMERCIAL GRADE – 3100

Safety Track® Commercial Grade non-slip 80 grit tape is designed for general purpose applications. This product has been engineered to exceed OSHA standards by providing a durable, consistent, non-slip surface. The silicon carbide grit ensures durability in both indoor and outdoor applications. The adhesive system aggressively bonds to substrates and is very durable.

Safety Track® 3100 series tapes and treads help prevent slips on floors, stairs, ramps, and sports equipment.



Jessup The Original® griptape used by pro skateboarders worldwide



Safety Track® 3100
Commercial grade comes in a large choice of tape widths and tread sizes.

3100

Best-selling Safety Track® Commercial Grade non-slip tape and treads are chosen by safety engineers, plant managers, and facilities engineers to reduce slips, trips and falls.



SAFETY TRACK® HEAVY DUTY GRADE – 3200

Safety Track® Heavy Duty grade non-skid 46 grit tape is a premium product made of silicon carbide grit. It stands up to the oil, diesel fuel, and mud found in the most extreme conditions in mining, refining, agriculture, manufacturing, construction, and many other industries. This product delivers a consistent, long-lasting “high slip resistance” performance under the toughest conditions.

3200



Safety Track® 3200

Heavy duty grade comes in many tape widths and tread sizes and can be laser cut into any shape.



SAFETY TRACK® COMMERCIAL GRADE COLORS – 3300



Safety Track® 3300

Commercial Grade comes in a large choice of colors, tape widths and tread sizes, including popular yellow and black stripe.

Safety Track® Commercial Grade non-skid 60 grit tape has been designed for general purpose applications. This product has been engineered to exceed OSHA standards by providing a durable, consistent, non-slip surface. The aluminum oxide grit ensures durability in both indoor and outdoor applications. The adhesive system aggressively bonds to substrates and is very durable. The collection includes hazard striped message treads and popular safety yellow, red, and orange, among others.

3300

Available Colors

- 3305 Clear
- 3310 Snow White
- 3315 Safety Red
- 3320 Safety Orange
- 3325 Dark Blue
- 3330 Light Blue
- 3335 Safety Yellow
- 3340 Brick Red
- 3345 Medium Brown
- 3350 Concrete Gray
- 3355 Green
- 3358 Speckled Yellow
- 3360 Yellow/Black Stripe
- 3365 Red/White Stripe
- 3370 Granite
- 3380 Neon Green
- 3385 Neon Pink
- 3390 Neon Yellow
- 3395 Camouflage
- 3398 Purple

Mop Friendly

- 3336 Safety Yellow
- 3375 Black



SAFETY TRACK® GLO BRITE® PHOTOLUMINESCENT – 3400

Safety Track® Glo Brite® photoluminescent non-slip egress tapes and treads glow to show the way out in the event of a sudden power outage. These tapes reduce the risk of slips and falls and are designed for marking stairs and corridors as part of an emergency egress route. Manufactured with the same aggressive adhesive system as other Safety Track® products, Safety Track® Glo Brite® products adhere to clean, dry, oil-free substrates. They meet rigid ASTM and NYC (MEA #235-05-M) standards.



3400

Use **Safety Track® Glo Brite®** grit tapes and treads with Glo Brite® exit signs and egress tapes to meet all egress code requirements.




SAFETY TRACK® RESILIENT MEDIUM GRADE – 3500

Safety Track® Resilient Medium Grade is designed for heavy shoe traffic, yet it's comfortable for bare feet. Made of rubberized vinyl with a secure, non-abrasive texture, Safety Track® Resilient is ideal for both commercial and industrial indoor applications. It's certified "High Traction" by the National Floor Safety Institute (NFSI) and it's also mop-friendly for easy cleaning.



3500

Use **Safety Track® Resilient** for secure footing at door thresholds, stairs, vehicles, and equipment where safe footing is essential.



SAFETY TRACK® RESILIENT HEAVY DUTY GRADE – 3600

Safety Track® Resilient Heavy Duty Grade is designed for heavier traffic in tougher environments. Made of rubberized vinyl with a secure, non-abrasive texture, Safety Track® Resilient Heavy Duty Grade can be used in cargo planes, ship consoles, and a wide range of floor applications both indoors and outdoors.



3600

Safety Track® 3600
High slip resistant surface designed for indoor and outdoor applications.



SAFETY TRACK® CONFORMABLE – 3700


Safety Track® Conformable 60 grit tapes and treads conform to irregular surfaces like radius corners, bends, ladder stairs, diamond tread plate, and other deeply textured surfaces. It is designed for heavy traffic in tough environments and has excellent stability in high and low temperature ranges. Made with foil, Safety Track® Conformable is also very durable.

Safety Track® 3700
Foil backed, non-slip tape designed for irregular and raised surfaces.

3700



SAFETY TRACK® MILITARY GRADE – 3800



Safety Track® Military Grade peel-and-stick 36 grit tapes and treads are approved by NAVSEA under MIL-PRF-24667C Type XI. With a very heavy grit designed for decks of vessels used by the U.S. Navy, U.S. Coast Guard, and U.S. Marine Corps, Jessup's Mil spec product stands up to harsh marine environments, equipment abrasions, heavy traffic, and temperature fluctuations. As with all Jessup products, Safety Track® Military Grade is made in the USA.

Jessup Safety Track® 3800 Peel-and-Stick exceeds MIL-PRF-24667C Type XI

Safety Track® 3800
Engineered to perform in extreme environments, anti-slip peel and stick exceeds MIL-PRF-24667C Type XI.

3800

FLEX TRACK® FINE GRADE – 4100



Flex Track® Fine Grade peel-and-stick treads, bathtub mats, and tapes are used to prevent slips and falls in homes, health clubs, long term care facilities, and other places where people walk in socks or bare feet. This product is especially effective preventing slips and falls in wet, slippery areas such as baths and showers. It also works well for exercise areas and fitness equipment.

Flex Track® Fine Grade is made of non-abrasive embossed PVC with an adhesive system engineered for indoor use.



4100

FlexTrack® 4100
Engineered for foot friendly, non-slip indoor applications.



FLEX TRACK® COARSE GRADE – 4200


Flex Track® Coarse Grade is a heavily embossed, anti-slip PVC that was developed for excellent traction for vehicles and equipment like lawn mowers, boat trailers, high impact exercise equipment and other applications that require safety for active movement.

4200



Flex Track® 4200

General purpose vinyl embossed anti-slip that adheres to metal, sealed wood and most plastics.



MESSAGING FILMS – 4215


Flex Track® Messaging Films provide important safety messages in your facility while providing non-slip surfaces for foot or vehicle traffic. All of Jessup's Messaging Films are designed to meet OSHA 1910.145 specifications for accident prevention, signs and tags. Popular messages include Caution, Slippery When Wet, Caution Do Not Enter, Fire Exit and more.



4215

Color	Message	Width
Red/White Stripe	–	2 inches
Yellow/Black Stripe	–	2 inches
Red/White Stripe	–	3 inches
Yellow/Black Stripe	–	3 inches
Yellow/Black Stripe	CAUTION	3 inches
Yellow/Black Stripe	CAUTION DO NOT ENTER	3 inches
Yellow/Black Stripe	CAUTION WATCH YOUR STEP	3 inches
Yellow/Black	SLIPPERY WHEN WET	3 inches
White/Green	EMERGENCY EYE WASH	3 inches
White/Green	EMERGENCY SHOWER	3 inches
White/Red	EXIT →	3 inches
White/Red	← EXIT	3 inches
White/Red	FIRE EXIT	3 inches
White/Black	SEVERE WEATHER SHELTER	3 inches
White/Black	TORNADO SHELTER	3 inches

Jessup can print customized message tape for you. Specify colors, message and logo.








APPLICATION GUIDE

Applications	Safety Track® Series								Flex Track® Series		
	3100	3200	3300	3400	3500	3600	3700	3800	4100	4200	4215
Farm machinery	•	•	•				•	•			
Construction equipment	•	•	•				•	•			
Forklifts	•	•	•			•	•				
Cherry pickers	•	•	•			•	•				
Recreational vehicles	•	•	•		•	•	•			•	
Snowmobiles	•	•	•		•	•	•			•	
ATVs	•	•	•		•	•	•			•	
Garden tractors	•	•	•		•	•	•			•	
Lawn mowers	•	•	•		•	•	•			•	
Wet and oily areas	•	•	•				•				
Loading docks	•	•	•			•	•				•
Cold storage	•	•	•			•	•				
Catwalks	•	•	•	•		•	•				
Platforms	•	•	•	•		•	•				•
Ramps	•	•	•	•		•	•				•
Ladders	•	•	•	•	•	•	•				
Scaffolds	•	•	•	•	•	•	•				
Step stools	•		•	•	•	•	•				
Conveyors	•		•	•	•	•					
Crossovers	•		•	•	•	•					
Pulleys	•		•	•	•	•					
Factory floor	•	•	•	•							•
Machine shop	•	•	•	•							•
Auto service area	•	•	•	•							•
Garage	•	•	•	•							•

APPLICATION GUIDE (CONT.)

Applications	Safety Track® Series								Flex Track® Series		
	3100	3200	3300	3400	3500	3600	3700	3800	4100	4200	4215
Steps, Stairs, Platforms	•		•	•	•	•	•				
Aircraft decks	•	•	•			•	•				
Aircraft cargo holds	•	•	•			•	•	•			
Aircraft ladders	•	•	•			•	•				
Trains	•	•	•			•	•	•			
Train platforms	•	•	•			•	•				
Semi-trailers	•	•	•			•	•				
Buses	•	•	•			•	•				
Ship decks	•	•	•			•	•	•			
Ship bridge	•	•	•			•	•				
Water skis					•	•					
Surfboard					•	•					
Jet boards					•	•					
Boat skis					•	•					
Swimming pools					•	•					
Pool accessories					•	•					
Diving boards					•	•					
Bathroom					•				•	•	
Bathtubs					•				•	•	
Shower					•				•	•	
Fitness room	•	•	•		•	•			•	•	
Food service area	•		•		•	•					
Kitchen	•		•		•	•					

GRIT PRODUCT SELECTION GUIDE

Series Number	Grade	Composition	Adhesive	Color	Sizes (Rolls are 60 ft in length)	Certifications
3100	Commercial	Silicon Carbide	High Tack 001 (Aggressive)	 Black	0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 8, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24, 6x24-REF, 6x24-PL	OSHA, ADA, NFSI "High Traction"
3100-002	Commercial	Silicon Carbide	High Temp 002 (Very Aggressive)	 Black	0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 8, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24, 6x24-REF, 6x24-PL	OSHA, ADA, NFSI "High Traction"
3200	Heavy Duty	Silicon Carbide	High Tack 001 (Aggressive)	 Black	0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3200-002	Heavy Duty	Silicon Carbide	High Temp 002 (Very Aggressive)	 Black	0.5, 0.75, 1, 1.5, 2, 3, 4, 6, 12, 18, 24, 36, 48, 5.5x5.5, 0.75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3305	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Clear	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3310	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Snow White	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3315	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Safety Red	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3320	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Safety Orange	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3325	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Dark Blue	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3330	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Light Blue	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3335	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Safety Yellow	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3335 CAUTION	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Safety Yellow	3	OSHA, ADA, NFSI "High Traction"
3336	Mop Friendly	Spherical Aggregate	High Tack 001 (Aggressive)	 Safety Yellow	1, 2, 4, 6	OSHA, ADA, NFSI "High Traction"
3340	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Brick Red	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3345	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Medium Brown	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3350	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Concrete Gray	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3355	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Green	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, .75x24, 6x24	OSHA, ADA, NFSI "High Traction"
3358	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Speckled Yellow	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3360	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Yellow/Black Stripe	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3360 CAUTION	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Yellow/Black Stripe	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, 6x24	OSHA, ADA, NFSI "High Traction"
3360 WATCH YOUR STEP	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Yellow/Black Stripe	6X24	OSHA, ADA, NFSI "High Traction"
3360 SLIPPING MAN	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Yellow/Black Stripe	6X24	OSHA, ADA, NFSI "High Traction"
3365	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Red/White Stripe	6X24	OSHA, ADA, NFSI "High Traction"
3370	Commercial	Silicon Carbide	High Tack 001 (Aggressive)	 Granite	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3375	Mop Friendly	Spherical Aggregate	High Tack 001 (Aggressive)	 Black	1, 2, 3, 4, 6, 12, 18, 24, 5.5x5.5, 0.75X24, 6x24	OSHA, ADA, NFSI "High Traction"
3380	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Neon Green	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3385	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Neon Pink	2, 4, 6, 6x24	OSHA, ADA, NFSI "High Traction"
3390	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Neon Yellow	2, 4, 6, 6x24	OSHA, ADA, NFSI "High Traction"
3395	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Camouflage	2, 4, 6, 6x24	OSHA, ADA, NFSI "High Traction"
3398	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Purple	2, 4, 6, 6x24	OSHA, ADA, NFSI "High Traction"
3420	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Photoluminescent	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, NFSI "High Traction"
3450	Commercial	Aluminum Oxide	High Tack 001 (Aggressive)	 Photoluminescent	1, 2, 3, 4, 6, 12, 18, 24, 6x24, Arrow, Circle	OSHA, ADA, NFSI "High Traction"
3700	Conformable	Silicon Carbide	High Tack 001 (Aggressive)	 Black	1, 2, 3, 4, 6, 12, 18, 24	OSHA, ADA, "High Traction"
3760	Conformable	Silicon Carbide	High Tack 001 (Aggressive)	 Yellow/Black Stripe	1, 2, 3, 4, 6, 12, 6x24	OSHA, ADA, "High Traction"
3810	Military	Aluminum Oxide	High Temp 002 (Very Aggressive)	 Black	1, 2, 4, 6, 12, 18	OSHA, ADA, MIL-PRF-24667C Type XI
3820	Military	Aluminum Oxide	High Temp 002 (Very Aggressive)	 Gray	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24, 2x2, 2x3, 3x3, 3x4, 4x5	OSHA, ADA, MIL-PRF-24667C Type XI

RESILIENT PRODUCT SELECTION GUIDE

Series Number	Grade	Composition	Adhesive	Color	Sizes (Rolls are 60 ft in length)	Certifications
3510	Commercial	Rubberized Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Black	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24	OSHA, ADA, NFSI "High Traction"
3520	Commercial	Rubberized Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Gray	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24	OSHA, ADA, NFSI "High Traction"
3530	Commercial	Rubberized Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Clear	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24	OSHA, ADA, NFSI "High Traction"
3610	Coarse	Rubberized Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Black	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24	OSHA, ADA, "High Traction"
3620	Coarse	Rubberized Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Gray	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 6x24	OSHA, ADA, High Traction"

VINYL PRODUCT SELECTION GUIDE

Series Number	Grade	Composition	Adhesive	Color	Sizes (Rolls are 60 ft in length except 4215 series which are 54 ft)	Certifications	
4100	Commercial	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 White	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 0.75x36, 0.75x7.5, 0.75x17.5, 16x34, 16x40, 24x24	OSHA, ADA	
4100CL	Commercial	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Clear	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 0.75x7.5, 0.75x17.5, 16x34	OSHA, ADA	
4100S	Commercial	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Sandstone	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 0.75x36, 0.75x7.5, 0.75x17.5, 16x34, 16x40, 24x24	OSHA, ADA	
4200	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Black	1, 2, 3, 4, 6, 12, 18, 24, 36, 48	OSHA, ADA	
4210	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Clear	1, 2, 3, 4, 6, 12, 18, 24, 36, 48	OSHA, ADA	
4215-0150	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Yellow/Black Stripe	2	OSHA, ADA	
4215-0151	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Red/White Stripe	2	OSHA, ADA	
4215-0152	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Yellow/Black Stripe	3	OSHA, ADA	
4215-0153	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 CAUTION DO NOT	Yellow/Black Stripe CAUTION DO NOT ENTER	3	OSHA, ADA
4215-0154	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 CAUTION	Yellow/Black Stripe CAUTION	3	OSHA, ADA
4215-0155	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 WATCH YOUR STEP	Yellow/Black Stripe WATCH YOUR STEP	3	OSHA, ADA
4215-0156	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 EMERGENCY	Green/White EMERGENCY	3	OSHA, ADA
4215-0157	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 EMERGENCY	Green/White EMERGENCY SHOWER	3	OSHA, ADA
4215-0158	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 EXIT →	Red/White EXIT →	3	OSHA, ADA
4215-0159	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 FIRE EXIT	Red/White FIRE EXIT	3	OSHA, ADA
4215-0160	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 Red/White Stripe	Red/White Stripe	3	OSHA, ADA
4215-0161	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 WEATHER SHELTER	Black/White WEATHER SHELTER	3	OSHA, ADA
4215-0162	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 SLIPPERY	Yellow/Black SLIPPERY	3	OSHA, ADA
4215-0163	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 TORNADO SHELTER	Black/White TORNADO SHELTER	3	OSHA, ADA
4220	Heavy Duty/Coarse	Embossed Poly Vinyl Chloride	High Tack 001 (Aggressive)	 White	1, 2, 3, 4, 6, 12, 18, 24, 36, 48, 16x34	OSHA, ADA	



NON-SLIP SOLUTIONS + **MADE RIGHT**

Jessup continuously improves non-slip products through innovation, responding to the changing needs of our customers and utilizing the latest material science technology. Applications for one industry can lead to breakthroughs in another. Materials for construction and commerce can adapt beautifully for homes and play.

START A CONVERSATION

Let Jessup make your non-slip material. Contact Jessup Manufacturing to discuss your project by visiting jessupmfg.com or calling 888-711-7735.

